

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY)		2. REPORT TYPE Technical Papers		3. DATES COVERED (From - To)	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER 2302	
				5e. TASK NUMBER MIG 2	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Air Force Research Laboratory (AFMC) AFRL/PRS 5 Pollux Drive Edwards AFB CA 93524-7048				8. PERFORMING ORGANIZATION REPORT	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Air Force Research Laboratory (AFMC) AFRL/PRS 5 Pollux Drive Edwards AFB CA 93524-7048				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S NUMBER(S)	
12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT A	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON Leilani Richardson
a. REPORT Unclassified	b. ABSTRACT Unclassified	c. THIS PAGE Unclassified			19b. TELEPHONE NUMBER (include area code) (661) 275-5015

Standard Form 298 (Rev. 8-98)
Prescribed by ANSI Std. Z39.18

36 separate items are enclosed

119 / 26

PTS

JON 2303M1G2

MEMORANDUM FOR PRS (Contractor/In-House Publication)

FROM: PROI (TI) (STINFO)

24 August 1999

SUBJECT: Authorization for Release of Technical Information, Control Number: AFRL-PR-ED-TP-FY99-0171
C.T. Liu, "Application of Real-Time X-Ray Technique to Monitor Damage Process in a Particulate Filled Composite"

Presentation at International Conference

(Statement A)

~~Distribution~~



Application of Real-Time X-Ray Technique to Monitor Damage Process in a Particulate Filled Elastomer

C.T. Liu

Air Force Research Laboratory

Edwards AFB, CA 93524-7680

20021119 126



Objectives

- Investigate Damage Initiation and Evolution Processes Using Real-Time X-Ray Techniques.
- Investigate the Effect of Damage on Crack Growth Behavior.




Local Dewetting About Filler Particles in Propellant

A2598

← Direction of Strain →




Unstrained



30% Strain




Block Diagram of a Real-Time Radiographic System






Specimen 7










Specimen 6




Iso-Intensity Contour Plots of I_t Near Crack Tip




Iso-Intensity Contour Plots of I_t Near Crack Tip




Iso-Intensity Contour Plots of I_t Near Crack Tip




(e) $\epsilon = 13.5\%$



(f) $\epsilon = 13.5\%$




(g) $\epsilon = 13.5\%$





(h) $\epsilon = 13.5\%$



Normal Strain (Experimental Result)









Conclusions

- Under a Constant Strain Rate Loading Condition, Damage Zone Size and Intensity of Damage Increase with Increasing Time.
- Pre-Damage does Affect the Crack Growth Behavior.
- The Damage Distribution is Roughly Commensurate with the Strain Distribution in the Specimen.
- The Real-Time X-Ray Technique is a Promising Technique to Monitor Damage Initiation and Evolution Processes in the Material.